


Client	FADASA			
Production Date	27.10.2021			
Trade name	Zeolan K			
Size	1,0-1,5			
Packaging	Carton Box			
Batch number	2304271112			
	unit	min	max	result
LOI at 540 °C (*)	%		1,70	0,35
Gas Desorption (*)	ml/gr		0,30	0,14
Dust	mg/ltr			38
Density	gr/ltr			910

(*) Performance requirements acc. (EN 1279-4:2018,6.3)




Delta values for 3 conditions		
Fresh packaging	for LOI=1.7%	for LOI = 3,0%
39	34	30

Delta-T tolerances are +/- 2°Celsius

Measurements for given diagrams and values are made
acc. to EN 1279-6:2018;H2 for delta-T/LOI-Delta-T diagram

Client	FADASA			
Production Date	26.10.2021			
Trade name	Zeolan K			
Size	1,0-1,5			
Packaging	Carton Box			
Batch number	2304261113			
	unit	min	max	result
LOI at 540 °C (*)	%		1,70	0,17
Gas Desorption (*)	ml/gr		0,30	0,28
Dust	mg/ltr			33
Density	gr/ltr			919

(*) Performance requirements acc. (EN 1279-4:2018,6.3)




Delta values for 3 conditions		
Fresh packaging	for LOI=1.7%	for LOI = 3,0%
40	37	34

Delta-T tolerances are +/- 2°Celsius

Measurements for given diagrams and values are made
acc. to EN 1279-6:2018;H2 for delta-T/LOI-Delta-T diagram

Client	FADASA			
Production Date	26.10.2021			
Trade name	Zeolan K			
Size	1,0-1,5			
Packaging	Carton Box			
Batch number	2304261112			
	unit	min	max	result
LOI at 540 °C (*)	%		1,70	0,17
Gas Desorption (*)	ml/gr		0,30	0,28
Dust	mg/ltr			33
Density	gr/ltr			919

(*) Performance requirements acc. (EN 1279-4:2018,6.3)




Delta values for 3 conditions		
Fresh packaging	for LOI=1.7%	for LOI = 3,0%
40	37	34

Delta-T tolerances are +/- 2°Celsius

Measurements for given diagrams and values are made
acc. to EN 1279-6:2018;H2 for delta-T/LOI-Delta-T diagram

Client	FADASA			
Production Date	26.10.2021			
Trade name	Zeolan K			
Size	1,0-1,5			
Packaging	Carton Box			
Batch number	2304261121			
	unit	min	max	result
LOI at 540 °C (*)	%		1,70	0,30
Gas Desorption (*)	ml/gr		0,30	0,14
Dust	mg/ltr			42
Density	gr/ltr			920,5

(*) Performance requirements acc. (EN 1279-4:2018,6.3)



Delta values for 3 conditions		
Fresh packaging	for LOI=1.7%	for LOI = 3,0%
40	34	27

Delta-T tolerances are +/- 2°Celsius

Measurements for given diagrams and values are made
acc. to EN 1279-6:2018;H2 for delta-T/LOI-Delta-T diagram